

# Studien zur Leistungssteigerung durch Kreatineinnahme

## Kreatin und Leistungssteigerungen beim Sport – das am besten untersuchte Nahrungsergänzungsmittel überhaupt

### Übersichtsartikel und Stellungnahmen

---

Kreider, R. B., Kalman, D.S., Antonio, J., Ziegenfuss, T. N., Wildman, R., Collins, R., Candow, D.G., Kleiner, S. M., Almada, A. L. & Lopez, H. L. (2017). International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *Journal of the International Society of Sports Nutrition*, 14, 18.

<https://jissn.biomedcentral.com/track/pdf/10.1186/s12970-017-0173-z>

Thomas, D.T.; Erdman, K.A.; Burke, L.M., Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and Athletic Performance, *J.Acad.Nutr.Diet.* (2016), 116 (3), S. 501 – 528

Terjung RL, Clarkson P, Eichner ER, Greenhaff PL, Hespel PJ, Israel RG, Kraemer WJ, Meyer RA, Spriet LL, Tarnopolsky MA, Wagenmakers AJ and Williams MH, 2000. American College of Sports Medicine roundtable. The physiological and health effects of oral creatine supplementation. *Medicine and Science in Sports and Exercise*, 32, 706-717.

Effect of dietary supplements on lean mass and strength gains with resistance exercise: A meta-analysis.

Nissen, S.L.; Sharp, R.L.  
(2003), 94 (2), S. 651 - 659

Effect of creatine supplementation on body composition and performance: a meta-analysis  
Branch, J.D.

*Int.J.Sport Nutr.Exerc.Metabol.* (2003), 13 (2), S. 198 - 226

EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA), Scientific Opinion on the substantiation of health claims related to creatine and increase in physical performance during short-term, high intensity, repeated exercise bouts (ID 739, 1520, 1521, 1522, 1523, 1525, 1526, 1531, 1532, 1533, 1534, 1922, 1923, 1924), increase in endurance capacity (ID 1527, 1535), and increase in endurance performance (ID 1521, 1963) pursuant to Article 13(1) of Regulation (EC) No 1924/2006, *EFSA Journal* 2011;9(7): 2303.

### Kreatin im Kraftsport

---

Volek, J.S., Duncan, N. D., Mazzetti, S. A., Staron, R. S., Putukian, M., Gomez, A. L., Pearson, D.R., Fink, W.J. & Kraemer, W.J. (1999). Performance and muscle fiber adaptations to creatine supplementation and heavy resistance training. *Medicine and Science in Sports and Exercise*, 31, 1147–1156.

[https://journals.lww.com/acsm-msse/Fulltext/1999/08000/Performance\\_and\\_muscle\\_fiber\\_adaptations\\_to.11.aspx](https://journals.lww.com/acsm-msse/Fulltext/1999/08000/Performance_and_muscle_fiber_adaptations_to.11.aspx)

Brenner, M., Walberg Rankin, J. & Sebolt, D. (2000). The effect of creatine supplementation during resistance training in women. *Journal of Strength and Conditioning Research*, 14, 207–213.

[https://journals.lww.com/nsca-jscr/abstract/2000/05000/the\\_effect\\_of\\_creatine\\_supplementation\\_during.15.aspx](https://journals.lww.com/nsca-jscr/abstract/2000/05000/the_effect_of_creatine_supplementation_during.15.aspx)

Vandenbergh, K., Goris, M., van Hecke, P., van Leemputte, M., Vangerven, L. & Hespel, P. (1997). Long-term creatine intake is beneficial to muscle performance during resistance training. *Journal of Applied Physiology*, 83, 2055–2063.

<https://www.physiology.org/doi/full/10.1152/jappl.1997.83.6.2055>

Enette Larson-Meyer, D., Hunter, G. R., Trowbridge, C. A., Turk, J. C., Ernest, J. M., Torman, S. L. & Harbin, P.A. (2000). The effect of creatine supplementation on muscle strength and body composition during off-season training in female soccer players. *Journal of Strength and Conditioning Research*, 14, 434–442.

[https://journals.lww.com/nsca-jscr/Abstract/2000/11000/The\\_Effect\\_of\\_Creatine\\_Supplementation\\_on\\_Muscle.11.aspx#pdf-link](https://journals.lww.com/nsca-jscr/Abstract/2000/11000/The_Effect_of_Creatine_Supplementation_on_Muscle.11.aspx#pdf-link)

Arciero, P.J., Hannibal 3rd, N.S., Nindl, B.C., Gentile, C. L., Hamed, J. & Vukovich, M.D. (2001). Comparison of creatine ingestion and resistance training on energy expenditure and limb blood flow. *Metabolism*, 50, 1429–1434.

[https://www.metabolismjournal.com/article/S0026-0495\(01\)80994-X/pdf](https://www.metabolismjournal.com/article/S0026-0495(01)80994-X/pdf)

Willoughby, D. S. & Rosene, J. (2001). Effects of oral creatine and resistance training on myosin heavy chain expression. *Medicine and Science in Sports and Exercise*, 33, 1674–1681.

[https://journals.lww.com/acsm-msse/Fulltext/2001/10000/Effects\\_of\\_oral\\_creatine\\_and\\_resistance\\_training.10.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2001/10000/Effects_of_oral_creatine_and_resistance_training.10.aspx#pdf-link)

## **Kreatin bei Schnellkraftübungen wie z. B. im Fußball, Basketball**

---

Haff, G. G., Kirksey, K. B., Stone, M. H., Warren, B.J., Johnson, R. L., Stone, M., O'Bryant, H. & Proulx, C. (2000). The effect of 6 weeks of creatine monohydrate supplementation on dynamic rate of force development. *Journal of Strength and Conditioning Research*, 14 (4), 426–433.

[https://journals.lww.com/nsca-jscr/abstract/2000/11000/the\\_effect\\_of\\_6\\_weeks\\_of\\_creatine\\_monohydrate.10.aspx#pdf-link](https://journals.lww.com/nsca-jscr/abstract/2000/11000/the_effect_of_6_weeks_of_creatine_monohydrate.10.aspx#pdf-link)

Ostojic, S. M. (2004). Creatine supplementation in young soccer players. *International Journal of Sport Nutrition and Exercise Metabolism*, 14, 95–103.

[https://pdfs.semanticscholar.org/8552/c8dde9ca0db3efaae0abd93babbd98f80.pdf?\\_ga=2.46015520.566837585.1563266315-1959673618.1563266315](https://pdfs.semanticscholar.org/8552/c8dde9ca0db3efaae0abd93babbd98f80.pdf?_ga=2.46015520.566837585.1563266315-1959673618.1563266315)

Cox, G., Mujika, I., Tumilty, D. & Burke, L. (2002). Acute creatine supplementation and performance during a field test simulating match play in elite female soccer players. *International Journal of Sport Nutrition and Exercise Metabolism*, 12, 33–46.

<http://www.humankinetics.com/acucustom/sitename/Documents/DocumentItem/606.pdf>

Mohebby, H., Rahnama, N., Moghadassi, M. & Ranjbar, K. (2012). Effect of creatine supplementation on sprint and skill performance in young soccer players. *Middle-East Journal of Scientific Research*, 12 (3), 397–401.

<https://pdfs.semanticscholar.org/2fd0/dd0909210c0406e1648b51019521d5089f9d.pdf>

Mujika, I., Padilla, S., Ibanez, J., Izquierdo, M. & Gorostiaga, E. (2000). Creatine supplementation and sprint performance in soccer players. *Medicine and Science in Sports and Exercise*, 32 (2), 518–525.

[http://www2.unavarra.es/gesadj/depCSalud/mikel\\_izquierdo/creatinamujika.pdf](http://www2.unavarra.es/gesadj/depCSalud/mikel_izquierdo/creatinamujika.pdf)

### **Kreatin beim Schwimmen, Laufen etc.**

---

Harris, R. C., Viru, M., Greenhaff, P. L. & Hultman, E. (1993). The effect of oral creatine supplementation on running performance during maximal short term exercise in man. *Journal of Physiology*, 467, 74

Havenetidis, K., Cooke, C., King, R. & Denison, T. (1996). Repeated creatine supplementation and swimming performance. Abstracts of the 1st Annual Congress of the European College of Sport Science, 566–567.

<http://www.ecss.de/ASP/EDSS/C01/01-0237.pdf>

Selsby, J.T., Beckett, K. D., Kern, M. & Devor, S.D. (2003). Swim performance following creatine supplementation in division III athletes. *Journal of Strength and Conditioning Research*, 17, 421–424.

[https://journals.lww.com/nsca-jscr/Abstract/2003/08000/Swim\\_Performance\\_Following\\_Creatine.1.aspx](https://journals.lww.com/nsca-jscr/Abstract/2003/08000/Swim_Performance_Following_Creatine.1.aspx)

Peyrebrune, M. C., Nevill, M. E., Donaldson, F.J. & Cosford, D.J. (1998). The effects of oral creatine supplementation on performance in single and repeated sprint swimming. *Journal of Sports Sciences*, 16, 271–279.

<https://www.tandfonline.com/doi/abs/10.1080/026404198366803>

Theodorou, A. S., Cooke, C.B., King, R. F. G.J., Hood, C., Denison, T., Wainwright, B. G. & Havenetidis, K. (1999). The effect of longer-term creatine supplementation on elite swimming performance after an acute creatine loading. *Journal of Sports Sciences*, 17, 853–859.

<https://www.tandfonline.com/doi/abs/10.1080/026404199365416>

Ziegenfuss, T. N., Rogers, M., Lowery, L., Mullins, N., Mendel, R., Antonio, J. & Lemon, P. (2002). Effect of creatine loading on anaerobic performance and skeletal muscle volume in NCAA division I Athletes. *Nutrition*, 18(5), 397–402.

<https://www.sciencedirect.com/science/article/pii/S0899900701008024?viewFullText=true>

### **Sonstige Faktoren wie Hitze, Verletzungen, Erholung nach dem Sport etc.**

---

Santos, R.V., Bassit, R.A., Caperuto, E. C. & Costa Rosa, L. F. (2004). The effect of creatine supplementation upon inflammatory and muscle soreness markers after a 30km race. *Life Sciences*, 75, 1917–1924.

<https://www.sciencedirect.com/science/article/pii/S0024320504005211?viewFullText=true>

Byrnes, W. C. & Clarkson, P. M. (1986). Delayed onset muscle soreness and training. *Clinics in Sports Medicine*, 5, 605–614.

Volek, J.S., Mazzetti, S.A., Farquhar, W. B., Barnes, B. R., Gomez, A. L. & Kraemer, W.J. (2001). Physiological responses to short-term exercise in the heat after creatine loading. *Medicine and Science in Sports and Exercise*, 33, 1101 –1108.

[https://journals.lww.com/acsm-msse/Fulltext/2001/07000/Physiological\\_responses\\_to\\_short\\_term\\_exercise\\_in.6.aspx](https://journals.lww.com/acsm-msse/Fulltext/2001/07000/Physiological_responses_to_short_term_exercise_in.6.aspx)

Johnston, A. P., Burke, D. G., MacNeil, L. G. & Candow, D. G. (2009). Effect of creatine supplementation during cast-induced immobilization on the preservation of muscle mass, strength, and endurance. *Journal of Strength and Conditioning Research*, 23, 116–120.

[https://journals.lww.com/nsca-jscr/fulltext/2009/01000/Effect\\_of\\_Creatine\\_Supplementation\\_During.19.aspx](https://journals.lww.com/nsca-jscr/fulltext/2009/01000/Effect_of_Creatine_Supplementation_During.19.aspx)

Rahimi, R. (2011). Creatine supplementation decreases oxidative DNA damage and lipid peroxidation induced by a single bout of resistance exercise. *Journal of Strength and Conditioning Research*, 25, 3448–3455.

[https://journals.lww.com/nsca-jscr/fulltext/2011/12000/Creatine\\_Supplementation\\_Decreases\\_Oxidative\\_DNA.29.aspx#pdf-link](https://journals.lww.com/nsca-jscr/fulltext/2011/12000/Creatine_Supplementation_Decreases_Oxidative_DNA.29.aspx#pdf-link)

The effects of creatine supplementation and physical exercise on traumatic brain injury  
Freire Royes, L.F.; Cassol, G.  
*Mini Rev.Med.Chem.* (2015), 16 (1), S. 29 - 39

## **Kreatin und Healthy Aging**

---

### **Übersichtsartikel und Stellungnahmen**

Clark, B. C. & Manini, T. M. (2010). Functional Consequences of Sarcopenia and Dynapenia in the Elderly. *Current Opinion in Clinical Nutrition and Metabolic Care*, 13 (3), 271 –276.

[https://journals.lww.com/clinicalnutrition/Abstract/2010/05000/Functional\\_consequences\\_of\\_sarcopenia\\_and.11.aspx](https://journals.lww.com/clinicalnutrition/Abstract/2010/05000/Functional_consequences_of_sarcopenia_and.11.aspx)

Ethgen, O., Beaudart, C., Buckinx, F., Bruyère, O. & Reginster, J. Y. (2017). The Future Prevalence of Sarcopenia in Europe: A Claim for Public Health Action. *Calcified Tissue International*, 100 (3), 229–234.

<https://link.springer.com/content/pdf/10.1007%2Fs00223-016-0220-9.pdf>

MacDougall, J. D., Ward, G. R., Sale, D. G. & Sutton, J. R. (1977). Biochemical adaptation of human skeletal muscle to heavy resistance training and immobilization. *Journal of Applied Physiology*, 43, 700–703.

<https://www.physiology.org/doi/abs/10.1152/jappl.1977.43.4.700>

Cruz-Jentoft, A.J., Baeyens, J. P., Bauer, J. M., Boirie, Y., Cederholm, T., Landi, F., Martin, F. C., Michel, J. P., Rolland, Y., Schneider, S. M., Topinkova, E., Vandewoude, M. & Zamboni, M. (2010).

Sarcopenia: European consensus on definition and diagnosis: report of the European working group on sarcopenia in older people. *Age and Ageing*, 39 (4), 412–423.

<https://academic.oup.com/ageing/article/39/4/412/8732>

Devries, M. C. & Phillips, S. M. (2014). Creatine supplementation during resistance training in older adults-a meta-analysis. *Medicine and Science in Sports and Exercise*, 46, 1194–1203.

[https://journals.lww.com/acsm-msse/fulltext/2014/06000/Creatine\\_Supplementation\\_during\\_Resistance.16.aspx#pdf-link](https://journals.lww.com/acsm-msse/fulltext/2014/06000/Creatine_Supplementation_during_Resistance.16.aspx#pdf-link)

Chilibeck, P. D., Chrusch, M.J., Chad, K. E., Davison, K. S. & Burke, D. G. (2005). Creatine monohydrate and resistance training increase bone mineral content and density in older men. *Journal of Nutrition Health and Aging*, 9 (5), 352–355.

[https://www.researchgate.net/publication/7544643\\_Creatine\\_monohydrate\\_and\\_resistance\\_training\\_increase\\_bone\\_mineral\\_content\\_and\\_density\\_in\\_older\\_men](https://www.researchgate.net/publication/7544643_Creatine_monohydrate_and_resistance_training_increase_bone_mineral_content_and_density_in_older_men)

Chrusch MJ, Chilibeck PD, Chad KE, Davison KS and Burke DG, 2001. Creatine supplementation combined with resistance training in older men. *Medicine and Science in Sports and Exercise*, 33, 2111-2117.

Pinto, C. L., Botelho, P. B., Carneiro, J. A. & Mota, J.F. (2016). Impact of creatine supplementation in combination with resistance training on lean mass in the elderly. *Journal of Cachexia, Sarcopenia and Muscle*, 7 (4), 413–421.

<https://onlinelibrary.wiley.com/doi/epdf/10.1002/jcsm.12094>

Pinto, C. L., Botelho, P. B., Carneiro, J. A. & Mota, J.F. (2016). Impact of creatine supplementation in combination with resistance training on lean mass in the elderly. *Journal of Cachexia, Sarcopenia and Muscle*, 7 (4), 413–421.

<https://onlinelibrary.wiley.com/doi/epdf/10.1002/jcsm.12094>

Wallimann, T. (2014). Positive Wirkung von Kreatin im Alter und für Rehabilitation. *Schweizer Zeitschrift für Ernährungsmedizin*, 1, 31 –32.

[https://www.researchgate.net/publication/264043408\\_Positive\\_Wirkung\\_von\\_Kreatin\\_im\\_Alter\\_und\\_fur\\_Rehabilitation](https://www.researchgate.net/publication/264043408_Positive_Wirkung_von_Kreatin_im_Alter_und_fur_Rehabilitation)

EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) (2016). Scientific opinion on creatine in combination with resistance training and improvement in muscle strength: evaluation of a health claim pursuant to Article 13(5) of Regulation (EC) No 1924/2006. *EFSA Journal*, 14 (2), 4400.

<https://efsa.onlinelibrary.wiley.com/doi/epdf/10.2903/j.efsa.2016.4400>

### **Positive Effekte von Kreatin bei Älteren – Muskel und Knochen**

Chilibeck, P. D., Chrusch, M.J., Chad, K. E., Davison, K. S. & Burke, D. G. (2005). Creatine monohydrate and resistance training increase bone mineral content and density in older men. *Journal of Nutrition Health and Aging*, 9 (5), 352–355.

[https://www.researchgate.net/publication/7544643\\_Creatine\\_monohydrate\\_and\\_resistance\\_training\\_increase\\_bone\\_mineral\\_content\\_and\\_density\\_in\\_older\\_men](https://www.researchgate.net/publication/7544643_Creatine_monohydrate_and_resistance_training_increase_bone_mineral_content_and_density_in_older_men)

Chilibeck, P.D., Candow, D.G., Landeryou, T., Kaviani, M. & Paus-Jenssen, L. (2015). Effects of creatine and resistance training on bone health in postmenopausal women. *Medicine and Science in Sports and Exercise*, 47 (8), 1587–1595.

[https://journals.lww.com/acsm-msse/fulltext/2015/08000/Effects\\_of\\_Creatine\\_and\\_Resistance\\_Training\\_on.5.aspx](https://journals.lww.com/acsm-msse/fulltext/2015/08000/Effects_of_Creatine_and_Resistance_Training_on.5.aspx)

## Sonstiges

---

Eichmann, B. (2015). Hochintensives Muskeltraining bei Typ 2–Diabetes. Gesundheitsrelevante Auswirkungen eines Trainingsprogramms im Rahmen einer Crossover-Studie. Hamburg: Kovac.

Gualano, B., de Salles Paineali, V., Roschel, H., Artioli, G. G., Neves, M. Jr., de Sá Pinto, A. L., da Silva, M. E., Cunha, M.R., Otaduy, M.C., Leite, Cda C., Ferreira, J. C., Pereira, R. M., Brum, P.C., Bonfá, E. & Lancha, A. H. Jr. (2010). Creatine in Type 2 Diabetes: a randomized, double-blind, placebo-controlled trial. *Medicine and Science in Sports and Exercise*, 43 (5), 770–778.

[https://journals.lww.com/acsm-msse/fulltext/2011/05000/Creatine\\_in\\_Type\\_2\\_Diabetes\\_A\\_Randomized.5.aspx](https://journals.lww.com/acsm-msse/fulltext/2011/05000/Creatine_in_Type_2_Diabetes_A_Randomized.5.aspx)

Dechent, P., Pouwels, P.J. W., Wilken, B., Hanefeld, F. & Frahm, J. (1999). Increase of total creatine in human brain after oral supplementation of creatine-monohydrate. *American Journal of Physiology – Regulatory, Integrative and Comparative Physiology*, 277, R698-R704.

<https://www.physiology.org/doi/pdf/10.1152/ajpregu.1999.277.3.R698>

Sappey-Marinié, D., Calabrese, G., Fein, G., Hugg, J.W., Biggins, C. & Weiner, M.W. (1992). Effect of photic stimulation on human visual cortex lactate and phosphates using <sup>1</sup>H and <sup>31</sup>P magnetic resonance spectroscopy. *Journal of Cerebral Blood Flow and Metabolism*, 12, 584–592.

<https://journals.sagepub.com/doi/pdf/10.1038/jcbfm.1992.82>

Creatine supplementation, sleep deprivation, cortisol, melatonin and behavior  
McMorris, T.; Howard, A.N.; Langridge, G.; Hall, B.; Corbett, J.; Dicks, M.; Hodgson, C.; Harris, R.C. *Physiol.Behav.* (2007), 90 (1), S. 21 - 28

Creatine supplementation and cognitive performance in elderly individuals.  
McMorris, T.; Harris, R.C.; Swain, J.P.; Howard, A.; Mielcarz, G. *Aging Neuropsychol.Cogn.* (2007), 14 (5), S. 517 - 528

Effect of creatine supplementation and sleep deprivation, with mild exercise, on cognitive and psychomotor performance, mood state, and plasma concentrations of catecholamines and cortisol  
Category Original Investigation

McMorris, T.; Swain, J.P.; Corbett, J.; Collard, K.; Dyson, R.J.; Dye, L.; Hodgson, C.; Draper, N.; Harris, R.C.

*Psychopharmacol.* (2006), 185 (1), S. 93 - 103

Rae, CD.; Broer, S., Creatine as a booster for human brain function. How might it work?, *Neurochem.Int.* (2015), 89 (), S. 249 – 259.